Docket No. Q055

**Patent Application** 

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Movahed

Serial No.: 10/057,202

Filed: 01/23/2002

For: METHOD AND APPARATUS TO

REMOVE SUBSTANCES FROM VESSELS OF THE HEART AND OTHER PARTS OF THE BODY TO MINIMIZE OR AVOID RENAL OR OTHER HARM OR DYSFUNCTION Examiner: Unassigned

Group Art Unit: 3736

# RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Commissioner for Patents Washington, DC 20231

Dear Sir:

In response to the Notice to File Corrected Application Papers dated March 6, 2002, Applicant hereby encloses the following:

- (1) Ten (10) sheets of substitute drawings in compliance with 37 CFR 1.84;
- (2) A copy of the Notice to File Corrected Application Papers.

The Commissioner is hereby authorized to charge and credit Deposit Account No. 01-

1960 for any additional fee required or overpayment.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, Washington, DC 20231 on

Mar. 15, 2002

By Nancy V. McElrath

Manca T) Marshath 3-15

nature D

Respectfully submitted,

David E. Allred

Registration No. 47,254

MYERS, DAWES & ANDRAS LLP 19900 MacArthur Blvd., Suite 1150

Irvine, CA 92612

Tel: (949) 223-9600 Fax: (949) 223-9610

programming from Arry 10 may programming by the programming the last of the programming of the last of the programming of the last of the

n.



#### United States Patent and Trademark Office

COMMISSIONER FOR PATENTS UNITED STATES PATENT AND TRADEMARK OFFICE WASHINGTON, D.C. 20231

www.uspto.gov

APPLICATION NUMBER

FILING/RECEIPT DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBER

10/057,202

01/23/2002

M. Reza Movahed

Q055

**CONFIRMATION NO. 8365** 

**FORMALITIES LETTER** 

OC000000007574252\*

David E. Allred Myers, Dawes & Andras LLP Ste. 1150 19900 MacAruthur Blvd. Irvine, CA 92612



Date Mailed: 03/06/2002

#### NOTICE TO FILE CORRECTED APPLICATION PAPERS

### Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);
  - Drawings must be reasonably free from erasures and must be free from alterations, overwritings, interlineations, folds, and copy marks.

A copy of this notice <u>MUST</u> be returned with the reply.

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE